

Elsema Receiver Selection Guide

Product	GLR43301SS GLR43301SST	GLR43301	GLR43301240	GLR43302SS GLR43302SST	GLR43302	GLR43302240	GLR4330312	GLR4330412	GLR43304240	GLR43308	GLR4330812R
Number of Channels	1	1	1	2	2	2	3	4	4	8	8
Supply Voltage	7-20 VDC	11-28 VAC/DC	240 VAC	7-20 VDC	11-28 VAC/DC	240 VAC	11-28 VAC/DC	11-28 VAC/DC	240 VAC	11-28 VAC/DC	11-28 VAC/DC
Switching Current	100mA @40VDC Open Collector Output	8 Amps	8 Amps	100mA @40VDC Open Collector Output	8 Amps	8 Amps	8 Amps	8 Amps	8 Amps	125mA @40VDC Open Collector Output	8 Amps
Compatible Transmitters	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series	433MHz GLT-Series
Compatible Antennas	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series	ANT433MHz Series Yagi433MHz Series
Receiver Enclosure	C1015 Weatherproof IP Rating 66	C125 Weatherproof IP Rating 54	C1020 Weatherproof IP Rating 66	C1015 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C1020 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C160 Weatherproof IP Rating 54	C1020 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C1217 Weatherproof IP Rating 66

Product	MCR91501P MCR91501PT	MCR91501	MCR91502P MCR91502PT	MCR91502	MCR91503	MCR91504	MCR91508SS	MCR91508R	MCR91512SS	MCR91512R	MCR91516SS	MCR91516R
Number of Channels	1	1	2	2	3	4	8	8	12	12	16	16
Supply Voltage	7-36 VDC	10-28 VAC/DC	7-36 VDC	10-28 VAC/DC	10-28 VAC/DC	10-28 VAC/DC	10-28 VAC/DC	10-28 VAC/DC	10-28 VAC/DC	10-28 VAC/DC	10-28 VAC/DC	10-28 VAC/DC
Switching Current	2A @40VDC Open Collector Output.	8 Amps	2A @40VDC Open Collector Output.	8 Amps	8 Amps	8 Amps	125mA @40VDC Open Collector Output.	8 Amps	125mA @40VDC Open Collector Output.	8 Amps	125mA @40VDC Open Collector Output.	8 Amps
Compatible Transmitters	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series	915MHz MCT-Series
Compatible Antennas	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series	ANT915MHz Series Yagi900MHz Series
Receiver Enclosure	C0611 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C0611 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C160 Weatherproof IP Rating 54	C160 Weatherproof IP Rating 54	C160 Weatherproof IP Rating 54	C160 Weatherproof IP Rating 54	C160 Weatherproof IP Rating 54	C1217 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C1217 Weatherproof IP Rating 66

433MHz Gigalink Series

915MHz MCR Series

Visit www.elsema.com for More Receivers

Elsema Receiver Selection Guide

Product	FMR15101	FMR15101240	FMR15102	FMR15102240	FMR15104	FMR15104240	FMR15108	FMR1510812R	FMR1510824R
Number of Channels	1	1	2	2	4	4	8	8	8
Supply Voltage	11-28 VAC/DC	240 VAC	11-28 VAC/DC	240 VAC	11-28 VAC/DC	240 VAC	11-28 VAC/DC	11-14 VAC/DC	22-28 VAC/DC
Switching Current	5 Amps *	8 Amps	5 Amps *	8 Amps	8 Amps	8 Amps	125mA@40VDC Open Collector Output	8 Amps	8 Amps
Compatible Transmitters	151MHz FMT-Series	151MHz FMT-Series	151MHz FMT-Series	151MHz FMT-Series	151MHz FMT-Series	151MHz FMT-Series	151MHz FMT-Series	151MHz FMT-Series	151MHz FMT-Series
Compatible Antennas	ANT151MHz Series	ANT151MHz Series	ANT151MHz Series	ANT151MHz Series	ANT151MHz Series	ANT151MHz Series	ANT151MHz Series	ANT151MHz Series	ANT151MHz Series
Receiver Enclosure	C160 Weatherproof IP Rating 54	C1020 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C1020 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C1020 Weatherproof IP Rating 66	C160 Weatherproof IP Rating 54	C1217 Weatherproof IP Rating 66	C1217 Weatherproof IP Rating 66

151MHz FMT Series

* 15 Amps Relay available only upon request.
5 Amps Relay by default.

Visit www.elsema.com for More Receivers